Welcome to STN International! Enter x:x

LOGINID:ssspta1600rxa

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

```
Welcome to STN International
                 Web Page URLs for STN Seminar Schedule - N. America
NEWS
     1
     2 Apr 08
                 "Ask CAS" for self-help around the clock
NEWS
                BEILSTEIN: Reload and Implementation of a New Subject Area
NEWS 3 Apr 09
NEWS 4 Apr 09
                ZDB will be removed from STN
NEWS 5 Apr 19 US Patent Applications available in IFICDB, IFIPAT, and IFIUDB
NEWS 6 Apr 22
                Records from IP.com available in CAPLUS, HCAPLUS, and ZCAPLUS
NEWS 7 Apr 22 BIOSIS Gene Names now available in TOXCENTER
NEWS 8 Apr 22 Federal Research in Progress (FEDRIP) now available
NEWS 9 Jun 03 New e-mail delivery for search results now available
NEWS 10 Jun 10 MEDLINE Reload
NEWS 11 Jun 10 PCTFULL has been reloaded
NEWS 12 Jul 02
                FOREGE no longer contains STANDARDS file segment
NEWS 13 Jul 22 USAN to be reloaded July 28, 2002;
                 saved answer sets no longer valid
NEWS 14 Jul 29
                Enhanced polymer searching in REGISTRY
NEWS 15 Jul 30 NETFIRST to be removed from STN
NEWS 16 Aug 08
                CANCERLIT reload
        Aug 08
NEWS 17
                PHARMAMarketLetter(PHARMAML) - new on STN
NEWS 18 Aug 08 NTIS has been reloaded and enhanced
NEWS 19 Aug 19
                Aquatic Toxicity Information Retrieval (AQUIRE)
                 now available on STN
        Aug 19
NEWS 20
                IFIPAT, IFICDB, and IFIUDB have been reloaded
NEWS 21
        Aug 19
                 The MEDLINE file segment of TOXCENTER has been reloaded
NEWS 22
        Aug 26
                 Sequence searching in REGISTRY enhanced
NEWS 23
        Sep 03
                 JAPIO has been reloaded and enhanced
NEWS 24
         Sep 16
                Experimental properties added to the REGISTRY file
NEWS 25
        Sep 16
                Indexing added to some pre-1967 records in CA/CAPLUS
NEWS 26
        Sep 16
                CA Section Thesaurus available in CAPLUS and CA
        Oct 01
NEWS 27
                CASREACT Enriched with Reactions from 1907 to 1985
NEWS 28 Oct 21 EVENTLINE has been reloaded
NEWS EXPRESS October 14 CURRENT WINDOWS VERSION IS V6.01,
              CURRENT MACINTOSH VERSION IS V6.0a(ENG) AND V6.0Ja(JP),
             AND CURRENT DISCOVER FILE IS DATED 01 OCTOBER 2002
             STN Operating Hours Plus Help Desk Availability
NEWS HOURS
NEWS INTER
             General Internet Information
NEWS LOGIN
             Welcome Banner and News Items
NEWS PHONE
             Direct Dial and Telecommunication Network Access to STN
NEWS WWW
             CAS World Wide Web Site (general information)
```

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation

of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 12:52:10 ON 23 OCT 2002

=> fil caplus COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 0.21 0.21

FULL ESTIMATED COST

FILE 'CAPLUS' ENTERED AT 12:52:18 ON 23 OCT 2002 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 23 Oct 2002 VOL 137 ISS 17 FILE LAST UPDATED: 22 Oct 2002 (20021022/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

CAS roles have been modified effective December 16, 2001. Please check your SDI profiles to see if they need to be revised. For information on CAS roles, enter HELP ROLES at an arrow prompt or use the CAS Roles thesaurus (/RL field) in this file.

=> s flavon?

L1 34878 FLAVON?

=> s l1 and ascorb?

81895 ASCORB?

L2 921 L1 AND ASCORB?

=> s 12 and oxidation

368961 OXIDATION

4493 OXIDATIONS

370451 OXIDATION

(OXIDATION OR OXIDATIONS)

627791 OXIDN

8038 OXIDNS

629447 OXIDN

(OXIDN OR OXIDNS)

09243568 Page 3 10/23/2002

756497 OXIDATION

(OXIDATION OR OXIDN)

L3 171 L2 AND OXIDATION

=> s 13 and cosmetic

40928 COSMETIC 41850 COSMETICS 55522 COSMETIC

(COSMETIC OR COSMETICS)

L4 3 L3 AND COSMETIC

=> s 14 and glycosylrutin

3 GLYCOSYLRUTIN

L5 0 L4 AND GLYCOSYLRUTIN

 \Rightarrow d ibib abs hitstr 14 1-3

09243568 Page 4 10/23/2002

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2002 ACS
ACCESSION NUMBER: 1999:561789 CAPLUS
DOCUMENT NUMBER: 131:189496
Application of flevones, flavanones, of flevonoids as protection for assorbid acid and/or ascorbid compounds from oxidation
INVENTOR(5): Kruse, Inge; Schoenrock, Uwe Beleradorf A.-G., Germany
SOURCE: COEN: GWXXEX
DOCUMENT TYPE: Patent
LANGUAGE: PAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

KIND DATE APPLICATION NO. DATE

PATENT NO. KIND DATE APPLICATION NO. DATE

DE 19807774 A1 19990826 DE 1998-19807774 19980224
US 2002013481 A1 20020131 US 1999-243568 19990203
EP 945128 A2 19990829 EP 1999-101745 19990211
EP 945128 A3 19991222
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
DF 11279167 A2 19991012 JP 1999-41753 19990219
PRIORITY APPLM. INFO.: DE 1998-19807774 A 19980224
AB Commenter or dermatol. prepms. for prevention and treatment of skin aging, dermatosis, photodermatosis, etc. which contain seconds sciences, flavanones, as well as flavones, flavanones, or flavones, and flavonoids also protect seconds or def and a secondary compds. In the secondary composition of the secondary composition of complexing agents. Similar prepms. can be used to prevent oxidative damage to the hair from hair dyes and bleaches. Thus, an oxid-in-water gel contained xanthan gum 2.00, butylene glycol 3.00, di-Na EDTA 0.20, MgS04 0.70, 451 NoOH 0.32, accorbic acid il.00, alpha.-glucosylrutin 0.20, preservative, perfume, dye, and H20 to 100.00 REFERENCE COUNT: 9 THER ARE 9 CITED REFERENCES AVAILABLE FOR THIS

THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT REFERENCE COUNT:

L4 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2002 ACS ACCESSION NUMBER: 1999:237416 CAPLUS DOCUMENT NUMBER: 131:49174

MENT NUMBER: TITLE: Natural and synthetic antioxidants in cosmetics

AUTHOR(S):

Gora, Jozef Inst. Podstaw Chem. Zywnosci, Politech. Lodzka, Lodz, CORPORATE SOURCE:

Inst. Podstaw Chem. Zywnosci, Politech. Lodzka, Lodz Pol. Pollena: Tluszcze, Srodki Piorace, Kosmetyki (1997), 41(8), 321-328 CODEN: PTSKDF; ISSN: 0208-8711 Bointe Centre Journal: General Review SOURCE:

PUBLISHER:

DOCUMENT TYPE: LANGUAGE:

MENT TYPE: Journal: General Review
UNGE: Polish
A review with 9 refs. The relation between antioxidants and good health
has been long established. In terms of beauty and functionality, recent
studies have indicated that certain antioxidants enhance the performance
of cosmetics and toiletries and play an important role in hair,
skin, and nails. Natural and synthetic antioxidants inhibit oxidn
of unsatd. lipids. They function as electron donors and react directly
with free radicals. Natural antioxidants such as witmain E, esters of
ascorbic acid, rosmarinic acid, and flavonoids have a
major role in providing protection against internal and external free
radicals generators and scavenge reactive oxygen species involved in the
initiation of lipid peroxidn., such as singlet oxygen and superoxide
radicals.

APLUS

intercalation compounds and the stabilization of oxidation-sensitive and/or UV-sensitive substances

Scheel, Oliver Gers-Barlag, Heinrich: Schwieger, Wilhelm: Hermann, Ralph
PATENT ASSIGNEE(S): Ger. Offen., 16 pp.
CODEN: GWXXBX
DOCUMENT TYPE: Ger. Offen., 16 pp.
CODEN: GWXXBX
PATENT INFORMATION:

PATENT INFORMATION:

PATENT NO.

PATENT NO. KIND DATE

PATENT NO. KIND DATE

DE 19805572 Al 1990819

Oxidn.-sensitive and/or UV-sensitive substances in commetic and dermatol. sunscreen prepns are protected by incorporation into intercalation compds. with nanoprous solid carriers such as aluminophosphates, zeolites, or layered silicates with a mean pore size _storeq.0.7 mm. Thus, a soln. of 15 g 4-(tert-butyl)-4-methoxydibenzoylmethane [1] in 1 b toH was mixed with 110 silicates with a mean pore size _storeq.0.7 mm. Thus, a soln. of 15 g 4-(tert-butyl)-4-methoxydibenzoylmethane [1] in 1 b toH was mixed with 110 silicates with a mean pore size _storeq.0.7 mm. Thus, a soln. of 15 g 4-(tert-butyl)-4-days at room temp. and then at 77.degree. for 7 h. The intercalate was sepd, washed with EtOR, dried, and held at 100.degree. for 3 h, whereupon the pore size of the carrier decreased, resulting in fixation of 1 in the pores of the aluminophosphate. An oil-in-water sunscreen londing this intercalate 10.0.0 glycerly stearate 3.50, stearic acid 1.60, glycerln 3.00. cetostearyl aic. 0.50, 451 NaoH 0.20, octylodecanol 7.00, dicapryl ether 8.00, 2.4-6-trianilno-(p-carbo-2-ethyl-1-hesyloxy)-1.3-triazine 3.00, 2-ethylhesyl-p-methoxycinnamate 8.00, 2.2-dimethyl-1.3-propanediol diheptanoate 6.00, Carbomer 0.20, preservative, perfume, and demineralized water to 100.00 vr. 1. 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

09243568 Page 5 10/23/2002

=> log y COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	16.59	16.80
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-1.86	-1.86

STN INTERNATIONAL LOGOFF AT 12:54:32 ON 23 OCT 2002